

## Healing Gel

### Ingredient FACTS

**Active Ingredients:** CoEnzyme Q10, Alpha-Lipoic Acid, Avocado Extract, Frankincense, Ozonoids

**Purpose:** Active Healing of abrasions, cuts, damaged skin tissue

### Use for the management of healing skin tissue

### WARNINGS

**For external use only.**

Do not use this medication if you are sensitive to bee products.

**Ask a doctor or pharmacist before use if you are** using any other topical acne medications at the same time or immediately following use of this product. This may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor.

#### When using this product:

- Avoid contact with eyes. If contact occurs, rinse thoroughly with water.

**Uses:** Skin Surface Abrasions and Cuts, Skin Ulceration, Cosmetic recontouring – eg, Face Lift, Chemical Skin Peels, Surgery Sites / Surgical Suture Lines,



**Skin Surface Abrasions and Cuts:** Clean the affected skin surface with cooled boiled or sterile water. It is important if possible to remove all foreign bodies from the skin surface, such as gravel, small stones, sand, and dirt. Dry and apply a thin layer of HN Healing Gel over the affected skin surface. Re-apply every 3-4 hours after re-cleaning the affected surface. There is no need to cover unless protection from further trauma is required, or work place health and safety regulations require wound coverage.

**Skin Ulceration:** Clean the ulcer site and surrounding area with cooled boiled or sterile water. Dry to a damp surface if possible and apply a thin layer of HN Healing Gel over the ulcer site and surrounding skin edge. Re-apply every 3-4 hours after re-cleaning the affected area. There is no need to cover unless protection from further trauma is required, or work place health and safety regulations require wound coverage.

**Skin Wounds:** If possible clean your hands and the affected skin surface with cooled boiled or sterile water. Remove all parts of the thorn or splinters if possible. Dry and apply a thin layer of HN Healing Gel over the affected skin surface. Seek medical help if necessary. Re-apply every 3-4 hours after re-cleaning the affected surface. Cover with a dressing if possible. Seek medical help if necessary.

**Surgery Sites / Surgical Suture Lines:** Clean the suture line with cooled boiled or sterile water. Dry and apply a thin layer of HN Healing Gel over the affected skin surface. Re-apply every 3-4 hours after re-cleaning the affected surface. There is no need to cover unless protection from further trauma is required, or work place health and safety regulations require wound coverage.

## **Active Ingredients;**

**CoEnzyme Q10** (CoEQ10) has anti-inflammatory and antioxidant properties. It is an important nutritional supplement before and following surgery. It helps prevent skin damage and aging that may result in wrinkle formation. Studies have shown CoEQ10's importance in skin healing and rejuvenation.

**Blatt T, Mundt C, Mummert C, Maksiuk T, Wolber R, Keyhani R, Schreiner V, Hoppe U, Schachtschabel DO, Stab F.** Modulation of oxidative stresses in human aging skin. *Z Gerontol Geriatr.* 1999 Apr;32(2):83-8.

**Baumann L.** How to prevent photoaging? *J Invest Dermatol.* 2005 Oct;125(4):xii-xiii.

**Fuller B, Smith D, Howerton A, Kern D.** Anti-inflammatory effects of CoQ10 and colorless carotenoids. *J Cosmet Dermatol.* 2006 Mar;5(1):30-8.

**Hojerova J.** Coenzyme Q10--its importance, properties and use in nutrition and cosmetics. *Ceska Slov Farm.* 2000 May;49(3):119-23.

**Hoppe U, Bergemann J, Diembeck W, Ennen J, Gohla S, Harris I, Jacob J, Kielholz J, Mei W, Pollet D, Schachtschabel D, Sauermann G, Schreiner V, Stab F, Steckel F.** Coenzyme Q10, a cutaneous antioxidant and energizer. *Biofactors.* 1999;9(2-4):371-8

**McDaniel D, Neudecker B, Dinardo J, Lewis J 2nd, Maibach H.** Clinical efficacy assessment in photodamaged skin of 0.5% and 1.0% idebenone. *J Cosmet Dermatol.* 2005 Sep;4(3):167-73.

**Okamoto T, Kubota N, Takahata K, Takahashi T, Goshima K, Kishi T.** Protective effect of coenzyme Q10 on cultured skeletal muscle cell injury induced by continuous electric field stimulation. *Biochem Biophys Res Commun.* 1995 Nov 22;216(3):1006-12.

**Passi S, De Pita O, Grandinetti M, Simotti C, Littarru GP.** The combined use of oral and topical lipophilic antioxidants increases their levels both in sebum and stratum corneum. *Biofactors.* 2003;18(1-4):289-97.

**Passi S, De Pita O, Puddu P, Littarru GP.** Lipophilic antioxidants in human sebum and aging. *Free Radic Res.* 2002 Apr;36(4):471-7.

**Rona C, Vailati F, Berardesca E.** The cosmetic treatment of wrinkles. *J Cosmet Dermatol.* 2004 Jan;3(1):26-34.

**Shimomura Y, Suzuki M, Sugiyama S, Hanaki Y, Ozawa T.** Protective effect of coenzyme Q10 on exercise-induced muscular injury. *Biochem Biophys Res Commun.* 1991 Apr 15;176(1):349-55..

**Siemieniuk E, Skrzydlewska E.** Coenzyme Q10: its biosynthesis and biological significance in animal organisms and in humans. *Postepy Hig Med Dosw (Online).* 2005;59:150-9.

**Smith AG, Din A, Denyer M, Crowther NJ, Eagland D, Vowden K, Vowden P, Britland ST.** Microengineered surface topography facilitates cell grafting from a prototype hydrogel wound dressing with antibacterial capability. *Biotechnol Prog.* 2006 Sep-Oct;22(5):1407-15.

**Winkler-Stuck K, Wiedemann FR, Wallesch CW, Kunz WS.** Effect of coenzyme Q10 on the mitochondrial function of skin fibroblasts from Parkinson patients. *J Neurol Sci.* 2004 May 15;220(1-2):41-8.

**Frankincense extracts** are used in China in wound dressings to control infection and manage tissue regeneration and repair. The extract has anti-microbial and anti-fungal activity, which are of dermatological relevance. Frankincense extracts are used in trans-dermal preparations to deliver pharmaceuticals into deep tissue and into the blood system.

**Li P, Li L, Zhuang Y, Guo HQ, Chen Q, An BC.** The creation of laosun yutie plaster and safety experiment. *Zhongguo Zhong Yao Za Zhi.* 2005 May;30(9):697-9.

**Weckesser S, Engel K, Simon-Haarhaus B, Wittmer A, Pelz K, Schempp CM.** Screening of plant extracts for antimicrobial activity against bacteria and yeasts with dermatological relevance. *Phytomedicine.* 2007 Feb 7.

**Xu YA, Zhang X, Feng B, Gao H, Wang Y.** Trends in the study on transdermal agents of Chinese medicinal herbs. *Zhong Yao Cai.* 2002 Feb;25(2):133-5.

**Zhou SH, Xiao XH, Yuan HL, Zhao YL, Shan LM, Cai GM.** Proceedings of new drug delivery systems and their applications in the traditional Chinese drugs. *Zhongguo Zhong Yao Za Zhi.* 2003 Jul;28(7):589-92.

**Ozone** when incorporated as an ozonoid in a gel or cream, has important anti-microbial properties. The products are anti-bacterial, anti-fungal, and anti-viral. They impart additional oxygen to cellular structures, and increase the potential for cellular regeneration and repair. They are important in infection control and wound management.

**Bocci V.** Does ozone therapy normalize the cellular redox balance? Implications for therapy of human immunodeficiency virus infection and several other diseases. *Med Hypotheses* 1996; 46: 150-154.

**Bocci V.** Ozone as a bioregulator. Pharmacology and toxicology of ozone therapy today. *J Biol Regul Homeost Agents* 1996; 10: 31-53

**Bocci V.** Biological and clinical effects of ozone. Has ozone therapy a future in medicine? *Br J Biomed Sci* 1999; 56: 270-279.

**Bocci V.** Ozone as Janus: This controversial gas can be either toxic or medically useful. *Mediators of Inflammation.* 13(1): 3-11, 2004

**Bocci V, Aldinucci C.** Rational bases for using oxygen-ozonotherapy as a biological response modifier in sickle cell anemia and beta-thalassemia: a therapeutic perspective. *J Biol Regul Homeost Agents.* 2004, 18:38-44.

**Bocci V, Luzzi E, Corradeschi F.** Studies on the biological effects of ozone: 4. Cytokine production and glutathione levels in human erythrocytes. *J Biol Regul Homeost Agents* 1993; 7: 133-138.

**Carpendale MT, Freeberg JK.** Does ozone alleviate AIDS diarrhea? *J Clin Gastroenterol* 17(2):142-145, 1993.

**Carpendale MT, Freeberg JK.** Ozone inactivates extracellular human immunodeficiency virus at non-toxic concentrations. Fourth Intl Conf AIDS, Stockholm, abstract 3560, 1988.

**Carpendale MT, Freeberg JK.** Ozone inactivates HIV at noncytotoxic concentrations. *Antiviral Res.* 1991 Oct;16(3):281-92.

**Castañeira ET, Cruz O, Menéndez S1.** Dyschroma Treated With 'OLEOZON'. Abstract, 1995 International Ozone Conference, Havana, Cuba. Elpidio Berovides Educational Polyclinic Center, Cuba. 1 Ozone Research Center, Cuba. Chang H, Fulton, Lynch E Antimicrobial Efficacy of Ozone on *Enterococcus faecalis*. *IADR Abstract* 2003

**Chahverdiani B, Thadj-Bakhche A.** Ozone treatment in root canal therapy. Introduction and general discussion Acta Med Iran. 1976;19(3):192-200.

**de Gruijl FR.** Skin cancer and solar UV radiation. Eur J Cancer. 1999 Dec;35(14):2003-9.

**Domingo H, Abu-Naba L, Al Shorman H, Holmes J, Marashdeh M, Abu-Salem O, Smith C, Freeman R, and Lynch E.** Reducing barriers to care in patients managed with ozone. J. Dent. Res, 2003. 82A: p. 0677

**Ed McCabe,** in <http://www.silvermedicine.org/ed-mccabe-ozone.html>

**Fitzpatrick TB.** The skin cancer cascade: from ozone depletion to melanoma--some definitions and some new interpretation, 1996. J Dermatol. 1996 Nov;23(11):816-20.

**Freeman BA, Sharman MC, Mudd JB.** Reaction of ozone with phospholipid vesicles and human erythrocyte ghosts. Arch Biochem Biophys. 1979 Oct 1;197(1):264-72.

**Friedman LI, Stromberg RR.** Viral inactivation and reduction in cellular blood products. Rev Fr Transfus Hemobiol. 1993 Jan;36(1):83-91. Review

**Garber GE, Cameron DW, Hawley-Foss N, Greenway D, Shannon ME.** The use of ozone-treated blood in the therapy of HIV infection and immune disease: a pilot study of safety and efficacy. AIDS. 1991 Aug;5(8):981-4.

**Goldstein BD, Balchum OJ.** Effect of ozone on lipid peroxidation in the red blood cell. Proc Soc Exp Biol Med. 1967 Nov;126(2):356-8.

**Goldstein BD, Lodi C, Collinson C, Balchum OJ.** Ozone and lipid peroxidation. Arch Environ Health. 1969 Apr;18(4):631-5.

**Gutteridge JM, Halliwell B.** Iron toxicity and oxygen radicals. Baillieres Clin Haematol. 1989 Apr;2(2):195-256.

**Holmes J.** New technologies in dental care. Dentistry, 2002. 16th May: p. 14. 3-part series

**Holmes J and Daley T.** Sensitivity and cracked teeth; treatment with ozone. Dental Practice 2003; June

**Holmes J, Grootveld M, Smith C, Claxson A, and Lynch E.** Bleaching of Components Responsible for Extrinsic Tooth Discoloration by Ozone. J Dent Res 82(Spec Iss A):0615, 2003

**Hooker MH, Gazzard BG.** Ozone-treated blood in the treatment of HIV infection. AIDS. 1992 Jan;6(1):131.

**Lynch E, Grootveld M, Holmes J, Silwood CJ, Claxson AWD, Prinz J, Toms H.** 1H NMR Analysis of Ozone-treated Grapeseed, Olive and Sunflower Oils. AADR Abstract no. 182; 2003

**Jordan L, Beaver K, Foy S.** Ozone treatment for radiotherapy skin reactions: is there an evidence base for practice? Eur J Oncol Nurs. 2002 Dec;6(4):220-7.

**Lipatov KV, Sopromadze MA, Shekhter AB, Rudenko TG, Emel'ianov AIu.** Ozone-ultrasonic therapy in the treatment of purulent wounds. Khirurgiia (Mosk). 2002;(1):36-9.

**Moseley R, Waddington RJ, Embery G.** Degradation of glycosaminoglycans by reactive oxygen species derived from stimulated polymorphonuclear leukocytes. Biochim Biophys Acta. 1997 Dec 31;1362(2-3):221-31.

**Ovchinnikov IuM, Sin'kov EV.** Use of gaseous ozone and ozonized solutions in the treatment of chronic suppurative otitis media. *Vestn Otorinolaringol.* 1998;(6):11-2.

**Pogosov VS, Miroshnichenko NA, Tafintsev AN.** Medical ozone in combination with low-frequency ultrasound therapy in the treatment of patients with chronic purulent otitis media. *Vestn Otorinolaringol.* 2001;(5):24-5.

**Pryor WA, Stanley JP, Blair E.** Autoxidation of polyunsaturated fatty acids: II. A suggested mechanism for the formation of TBA-reactive materials from prostaglandin-like endoperoxides. *Lipids.* 1976 May;11(5):370-9.

**Sechi L.A, Lezcano I, Nunez N, Espim M, Duprè I, Pinna A, Molicotti P, Fadda G & Zanetti S.** Antibacterial activity of ozonized sunflower oil (Oleozon). *Journal of Applied Microbiology*, Volume 90 Issue 2 Page 279 - February 2001

**Slaper H, Velders GJ, Daniel JS, de Gruijl FR, van der Leun JC.** Estimates of ozone depletion and skin cancer incidence to examine the Vienna Convention achievements. *Nature.* 1996 Nov 21;384(6606):256-8.

**Thiele JJ, Schroeter C, Hsieh SN, Podda M, Packer L.** The antioxidant network of the stratum corneum. *Curr Probl Dermatol.* 2001;29:26-42.

**Urbach F.** Ultraviolet radiation and skin cancer of humans. *J Photochem Photobiol B.* 1997 Aug;40(1):3-7.

**Waddington RJ, Moseley R, Embery G.** Reactive oxygen species: a potential role in the pathogenesis of periodontal diseases. *Oral Dis.* 2000 May;6(3):138-51.

**Wells KH, Latino J, Gavalchin J, Poiesz BJ.** Inactivation of human immunodeficiency virus type 1 by ozone in vitro. *Blood.* 1991 Oct 1;78(7):1882-90.